





















**REFERENCES**

- [1] P. Sijtsma. "CLEAN based on spatial source coherence." *Int. J. Aeroacoustics*, 6, 357–374, 2007.
- [2] R.P. Dougherty, *Aeroacoustic Measurements: Beamforming in Acoustic Testing*, edited by T.J. Mueller, Springer-Verlag Berlin Heidelberg (2002), pp. 83-86.
- [3] J. Hald, "Removal of incoherent noise from an averaged cross-spectral matrix," *J. Acoust. Soc. Am.* **142**(2), 846-854 (2017).
- [4] J. Hald, "Denoising of cross-spectral matrices using canonical coherence," *J. Acoust. Soc. Am.* **146**(1), 399-408 (2019).
- [5] Ishii, T., Ishii, Y., Hald, J., Nagai, K., and Oinuma, H., 2018, "Application of Sound Source Identification using CLEAN-SC to a Turbofan Engine", BeBeC-2018-D25, 7th Berlin Beam-forming Conference 2018.
- [6] J. Hald, H. Kuroda, T. Makihara, and Y. Ishii. "Mapping of contributions from car-exterior aerodynamic sources to an in-cabin reference signal using Clean-SC," *Proc. Inter-Noise 2016*, 2016.
- [7] J. Hald, K. Ginn. "Cross-spectral matrix denoising for beamforming in wind tunnels," *Proc. Inter-Noise 2019*, 2019.